



Ciello



Design: Matthias Dohm, Klöber Design-Team

Aesthetics down to the very last detail. For people who want to stand out from the crowd. The clear-cut, slim silhouette is distinctive. Ideal for the front office.



reddot



Designpreis
Deutschland
2011
NOMINIERT

KLÖBER 

Ciello

BASIC SPECIFICATION (further functions and equipment features on the next page)


swivel chair

Function	<ul style="list-style-type: none">- Suitable for up to 140 kg body weight- Point-synchronised mechanism- 1:4 tilt ratio between seat and backrest- Backrest tilt angle 28°
Body weight adjustment	<ul style="list-style-type: none">- 45-125 kg- Patented quick-set adjustment to individual body weight
Synchronised locking	<ul style="list-style-type: none">- Opening angle can be limited individually in 3 positions (0° / 16° / 28°)- Seat-backrest opening angle 92°
Seat height adjustment	<ul style="list-style-type: none">- 40-51 cm- Safety gas-lift
Seat	<ul style="list-style-type: none">- Seat depth 45 cm- Optional: XL-seat (3753) seat depth 48 cm- Steel frame with 2-ply mesh (DLX®) in combination with moulded foam for optimum pressure absorption and counter-pressure in seat area- Foam density 55 kg/m³
Backrest	<ul style="list-style-type: none">- cie99 / cie98: 70 cm, cie97: 53 cm- Steel frame with 2-ply mesh (DLX®) in combination with cut foam for optimum pressure absorption and counter-pressure in the back region- 15 mm moulded foam cushion and comfort fleece padding- Foam density 55 kg/m³
Neck support	<ul style="list-style-type: none">- cie99: Height adjustable by 5 cm- Fabric upholstery in fabric, leather with leather upholstery (same colour)
Arm supports	<ul style="list-style-type: none">- Designer arm supports black
Castors	<ul style="list-style-type: none">- Load-dependent braked double hard castors- Black plastic, Ø 65 mm, for carpets
Standards / Certificates	<ul style="list-style-type: none">- GS symbol from LGA Nuremberg / DIN EN 1335 / DIN 4551- Ergonomics certificate from LGA Nuremberg (Ergonomics Approved)- ANSI / BIFMA X 5.1 tested- Greenguard certification- Nominated for the Design Award of the Federal Republic of Germany 2006- RedDot Design award 2005
Warranty	<ul style="list-style-type: none">- 5 years (see terms and conditions of sale and delivery)


conference swivel chair, conference cantilever chair

Frame	<ul style="list-style-type: none">- Suitable for up to 125 kg body weight- cie58 / cie56: Tubular steel frame Ø 25 mm, bright chromed- Not stackable- cie91 / cie90: Tubular steel frame Ø 25 mm, bright chromed- 4-star base, polished with glides- With auto-return mechanism- Suitable for up to 125 kg body weight
Seat	<ul style="list-style-type: none">- 2-ply latex mesh with 15 mm cut-foam cushion and comfort fleece padding
Backrest	<ul style="list-style-type: none">- cie91 / cie58: 54 cm- cie90 / cie56: 46 cm- Steel frame with 2-ply mesh (DLX®) in combination with cut foam for optimum pressure absorption and counter-pressure in the back region- Foam density 55 kg/m³
Arm supports	<ul style="list-style-type: none">- Plastic finish, black
Glides	<ul style="list-style-type: none">- cie91 / cie90: Ultra glides, black- cie58 / cie56: Without glides
Standards / Certificates	<ul style="list-style-type: none">- GS symbol from TÜV Rheinland LGA Products GmbH / DIN EN 16139- Greenguard certification
Warranty	<ul style="list-style-type: none">- 5 years (see terms and conditions of sale and delivery)


Dimensions




cie99 / cie98 + 3753
with arm supports: 24 kg / 23 kg




cie97
with arm supports: 22 kg




cie91
with arm supports: 14 kg



cie90
with arm supports: 13 kg



cie58
with arm supports: 12 kg



cie56
with arm supports: 11 kg



Fabric requirement

Model	same colour	different colours		different colours	different colours
	seat and backrest	seat	backrest		
cie99	2,00 x 1,30 m	0,70 x 1,30 m	1,25 x 1,30 m	1,25 x 1,30 m	0,40 x 1,30 m
cie98	1,70 x 1,30 m	0,70 x 1,30 m	1,25 x 1,30 m	1,25 x 1,30 m	-
cie97	1,25 x 1,30 m	0,70 x 1,30 m	1,25 x 1,30 m	1,25 x 1,30 m	-
cie91	1,30 x 1,30 m	0,70 x 1,30 m	1,10 x 1,30 m	1,10 x 1,30 m	-
cie90	1,30 x 1,30 m	0,70 x 1,30 m	0,70 x 1,30 m	0,70 x 1,30 m	-
cie58	1,30 x 1,30 m	0,70 x 1,30 m	1,10 x 1,30 m	1,10 x 1,30 m	-
cie56	1,30 x 1,30 m	0,70 x 1,30 m	0,70 x 1,30 m	0,70 x 1,30 m	-

Leather requirement on request

Ciello


swivel chair

Model	Art. no.	Price category for upholstery fabric					
	cie99	04 Chicago Nova Era	05 Fame Malta Step Cura	17 Comfort +	48 Leather premium +	09 COM	19 Customer leather
	cie98						
	cie97						

Option	Description	Code	cie99	cie98	cie97	
Arm supports	designer arm supports	black	3543	●	●	●
		with leather finish	3563	○	○	○
Seat	standard seat (seat depth 45 cm)		3750	●	●	●
	XL-seat (seat depth 48 cm)		3753	○	○	○
Backrest bar colour	aluminium	black	3801	●	●	●
		polished	3803	○	○	○
Seatpan colour	aluminium	black	3701	●	●	●
Base colour	plastic	fibreglass-reinforced black, 5-star	3221	●	●	●
		design base aluminum	black, 5-star	3241	○	○
		alu-coloured, 5-star	3242	○	○	○
		polished, 5-star	3243	○	○	○
Castors / Glides	hard castors Ø 65 mm, for carpets		3103	●	●	●
	soft castors Ø 65 mm, for hard floors		3104	○	○	○
	hard castors Ø 65 mm, chromed, for carpets		3113	○	○	○
	soft castors Ø 65 mm, chromed, for hard floors		3114	○	○	○
Seat height	40-51 cm		3300	●	●	●
	40-51 cm with mechanical depth spring		3301	○	○	○
	46-60 cm with mechanical depth spring		3303	○	○	○
More features	lordosis support (integrated into the backrest upholstery; height adjustable by 6 cm)		3817	○	○	○

Ciello



conference swivel chair

Model	Art. no.	Price category for upholstery fabric					
	cie91	04 Chicago Nova Era	05 Fame Malta Step Cura	17 Comfort +	48 Leather premium +	09 COM	19 Customer leather
	cie90						

Option	Description	Code	cie91	cie90	
Arm supports	plastic finish	black	3510	●	●
	leather finish		3520	○	○
Frame colour	bright chromed		3253	●	●
Base colour	aluminium	polished, 4-star	3233	●	●
		bright chromed, 4-star	3235	○	○
		polished, 4-star, for castors	3238	○	○
Castors / Glides	hard castors Ø 65 mm, for carpets		3103	○	○
	<small>(only in conjunction with base 3238; without auto-return mechanism)</small>				
	soft castors Ø 65 mm, for hard floors		3104	○	○
	<small>(only in conjunction with base 3238; without auto-return mechanism)</small>				
	hard castors Ø 65 mm, chromed, for carpets		3113	○	○
	<small>(only in conjunction with base 3238; without auto-return mechanism)</small>				
	soft castors Ø 65 mm, chromed, for hard floors		3114	○	○
<small>(only in conjunction with base 3238; without auto-return mechanism)</small>					
	ultra glides, for carpeted and rough floors		3106	●	●
<small>(only in conjunction with base 3233/35)</small>					
	base glides with felt, for delicate and smooth floors		3116	○	○
<small>(only in conjunction with base 3233/35)</small>					

Cielo

conference cantilever chair

Model	Art. no.	Price category for upholstery fabric					
	cie58	04 Chicago Nova Era	05 Fame Malta Step Cura	17 Comfort +	48 Leather premium +	09 COM	19 Customer leather
	cie56						

Option	Description	Code	cie58	cie56
Arm supports	plastic finish black	3510	●	●
	leather finish	3520	○	○
Frame colour	bright chromed	3253	●	●
More features	stackable (not recommended with leather upholstery) <small>(cie56/58: 1+4)</small>	3904	○	○
	ultra glides, for soft, rough floorings	3157	○	○
	felted skids, for sensitive, smooth floorings	3158	○	○



Cato Plus



Design: Klöber Design-Team

Cato Plus offers excellent value for money with its luxurious upholstery and ergonomic features.



KLÖBER 


Cato Plus

BASIC SPECIFICATION (further functions and equipment features on the next page)

mesh


Function	<ul style="list-style-type: none">- Suitable for up to 140 kg body weight- Point-synchronised mechanism- With progressive counter-pressure- 1:4 tilt ratio between seat and backrest- Backrest tilt angle 26°
Body weight adjustment	<ul style="list-style-type: none">- 45-125 kg- Patented quick-set adjustment in 12 positions, by max. 6.6 kg per position- Adjustment with one single twist of the lever by 70°
Synchronised locking	<ul style="list-style-type: none">- Opening angle can be limited individually in 2 positions (0° / 16°)- Seat-backrest opening angle 92°
Seat tilt	<ul style="list-style-type: none">- Preset seat surface tilt at -3° or 0°
Seat height adjustment	<ul style="list-style-type: none">- 40-51 cm- Safety gas-lift
Seat	<ul style="list-style-type: none">- Seat depth 43 cm- 50 mm CFC-free PU foam cushion- Foam density 55 kg/m³
Backrest	<ul style="list-style-type: none">- 60 cm- Fibreglass reinforced black plastic backrest frame- Knitted 3D mesh (100% Polyester, high strength), black
Neck support	<ul style="list-style-type: none">- cpn89: Height-adjustable by 7 cm and tilting 40°- Fits perfectly to head shape and position, avoiding pressure sores- Skai Venezia black, a breathable polyurethan-material
Lordosis support	<ul style="list-style-type: none">- Fitted 3D mesh in lumbar area to support 3rd and 4th lumbar vertebrae
Castors	<ul style="list-style-type: none">- Load-dependent braked double hard castors- Black plastic, Ø 50 mm, for carpets
Standards / Certificates	<ul style="list-style-type: none">- GS symbol from TÜV Rheinland LGA Products GmbH / DIN EN 1335 / DIN 4551- Ergonomics certificate from LGA Nuremberg (Ergonomics Approved)- EU directive 90 / 270 EEC for display screen equipment / DIN EN ISO 9241- Greenguard certification
Warranty	<ul style="list-style-type: none">- 5 years warranty (see terms and conditions of sale and delivery)

Dimensions



cpn89

with arm supports: 17 kg
without arm supports: 15 kg



cpn88 + 3107

with arm supports: 17 kg
without arm supports: 15 kg



Fabric requirement

Model	different colours	
	seat	neck support
cpn89	0,80 x 1,30 m	0,40 x 1,30 m
cpn88	0,80 x 1,30 m	-

Leather requirement on request

Cato Plus

mesh

Model	Art. no.	Price category for upholstery fabric			
	cpn89	04 Chicago Nova Era	05 Fame Malta Step Cura	06 Evida	48 Leather premium +
	cpn88				

Option	Description	Code	cpn89	cpn88
Arm supports	without arm supports	3500	●	●
	height-adjustable arm supports (incl. width adjustment 3917)	black 3545	○	○
	3D arm supports (incl. width adjustment 3917)	black 3549	○	○
		black, with soft pads 3550	○	○
	Z arm supports	black 3553	○	○
	4F arm supports	black 3557	○	○
aluminum (incl. width adjustment 3917)	alu-coloured	3558	○	○
	polished	3559	○	○
	Backrest bar colour	aluminium black 3801	●	●
	Seatpan colour	aluminium black 3701	●	●
Base colour	plastic	fibreglass-reinforced black, 5-star 3211	○	○
		fibreglass-reinforced black, 5-star 3221	●	●
	aluminium	black, 5-star 3201	○	○
		alu-coloured, 5-star 3202	○	○
		polished, 5-star 3203	○	○
Castors / Glides	hard castors Ø 50 mm, for carpets	3101	●	●
	soft castors Ø 50 mm, for hard floors	3102	○	○
	hard castors Ø 65 mm, for carpets	3103	○	○
	soft castors Ø 65 mm, for hard floors	3104	○	○
Counter chair	glides and footrest ring (not possible in conjunction with base 3211)	3107	○	○
	felt glides and footrest ring (not possible in conjunction with base 3211)	3117	○	○
Seat height	40-51 cm	3300	●	●
	40-51 cm with mechanical depth spring	3301	○	○
	46-60 cm with mechanical depth spring	3303	○	○
	60-85 cm for counter chair	3305	○	○
	42-56 cm with mechanical depth spring	3306	○	○
More features	seat depth adjustment / sliding seat (seat can be adjusted by 6 cm towards the front; not possible in conjunction with base 3211)	3420	○	○
	seat tilt (by 3°, preselectable -3° or 0°)	3424	●	●
	width adjustment for Z arm supports without the use of tools	3917	○	○
	lordosis support (height adjustable by 11 cm)	3817	○	○
	coathanger, black plastic	3918	○	○
	headrest in leather (for model in fabric)	PK08	○	-

Model with upholstered pad backrest on request

Recommended retail price in EUR

● Basic specification ○ Optional